

# Substance Use Disorder

## Health and Economic Impact of Substance Use on Tennessee

While much of the focus on Substance Use Disorder (SUD) in Tennessee remains on prescription opioids, the problem becomes more complex with each passing year. From 1990-2010, prescriptions for OxyContin and other controlled substances increased by a factor of four to almost 0.9 prescriptions per capita in the United States.

From 2010 to the present, policy makers, regulators, and producers have sought to rein in prescribing by switching to abuse deterrent formulas, and by changing policies to increase visibility into provider prescribing patterns. Nevertheless, estimates place the share of the population with a dependence on controlled substances between 5 and 10 percent.

After 2010, when acquiring the quantity of opioids to sustain a habit or addiction became more difficult, users began to substitute towards other (more dangerous) substances such as heroin and fentanyl. As such, although prescribing decreased, overdoses and diagnoses of neonatal abstinence syndrome (NAS) began to increase. Since 2010, opioid-involved overdose deaths in Tennessee have tripled to almost 2,100 per year.

Synthetic opioid deaths (including the fentanyl family) increased from 590-827. While national trends for overdose deaths have begun to decrease, the rate in Tennessee continues to increase. NAS births have decreased since 2017, but Tennessee's rate is more than double national average.

These problems are not confined to long-time users. The data suggest new users are being initiated into opioids in Tennessee at rates well above the national average. (...continued above)

**...there are still 74 prescriptions written per 100 persons in Tennessee in 2019...**

While prescriptions for opioids have decreased by almost half since 2013, there are still 74 prescriptions written per 100 persons in Tennessee in 2019 (3rd highest in the nation)--still close to the national average at the peak. Polysubstance use in Tennessee extends beyond opioids. Tennessee also has some of the highest prescribing rates for benzodiazepines in the US. Methamphetamine use is also resurgent. Tennessee ranked in the top 10 states for meth-lab seizures in 2018.

The economic costs of SUD in Tennessee are in billions of dollars per year. Research from UT indicates a 10% decrease in prescription opioid abuse would lead to an increase in statewide personal income of \$800 million. Individuals with Opioid-involved SUD incur additional medical expenses of approximately \$15,000 per person. At the statewide level, these additional health care costs are over \$600 million. After 2010, substitution from prescription opioids to uncontrolled substances led to increased incidence of child abuse. Each case carries a lifetime economic impact (to the child) of between \$200,000-800,000. And these are only the expenses that are directly measurable.

Tennessee also lags in resources for treatment. Per SAMHSA, the number of clients getting inpatient treatment for SUD is increasing, from 16,765 in 2017 to 28,899 in 2019. Despite having one of the worst SUD problems in the country, (...continued above)

Tennessee is approximately average among states when it comes to treatment capacity. While the recent increases in treatment are certainly a positive, the data on the magnitude of the problem indicates that substantial additional investments in treatment resources – on an order of magnitude – will be needed to address the epidemic.

## Tennessee Stats



**2,100 deaths**

per year due to opioid-involved overdoses.



**48% increase**

in total drug overdose deaths involving illicit fentanyl from 2017 to 2018.



**600 million**

in additional health care costs.



**10% decrease**

in Rx opioid abuse would lead to an increase of **\$800 million** in statewide personal income.



## Want to learn more?

- Tennessee Department of Mental Health and Substance Abuse Services (TDMHSAS) found [here](#).
- Substance Misuse and Addiction Resource for Tennessee (SMART) Policy Network found [here](#).



INSTITUTE for PUBLIC SERVICE





## 46 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 81 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 399,087 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 13 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 63 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 13% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 310,401 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 35 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 13 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 5 prescriptions

per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 64,051 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 16 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 14% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 78,832 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 31 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 138 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 679,926 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 21 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 141 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 13% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 10 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 694,707 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 37 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 41 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 202,007 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 36 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 21 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 2 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 103,467 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC** per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH** per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 12 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 27 overdoses

inpatient, non-fatal, all drug overdose stays.


TDH Data Dashboard, 2019




## 10% adults

are uninsured, compared to 6% of top-performing US counties.


County Health Rankings, 2019




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data



## 13 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 133,029 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources

### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 31 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 74 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 364,598 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 47 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 53 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 261,131 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 19 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 13 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 5 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 64,051 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 40 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 34 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 10 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 167,518 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 47 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 7 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 34,489 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 24 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 49 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 241,423 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 28 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 66 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 15 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 325,182 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 5 overdoses

inpatient, non-fatal, all drug overdose stays.


TDH Data Dashboard, 2019



## 14% adults


are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).



## 2 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 24,635 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources

### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**



## 16 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 65 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 320,255 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 30 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 1061 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 13% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 9 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 5.23 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**


per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 28 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 12 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 59,124 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 24 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 36 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 13% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 177,372 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 31 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 108 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 8 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 532,116 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 9 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 52 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 8 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 256,204 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 13 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 36 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 177,372 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 18 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 16 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 78,832 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 22 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 44 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 216,788 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 20 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 43 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 211,861 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 26 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 40 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 197,080 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 14 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 15 overdoses

inpatient, non-fatal, all drug overdose stays.


TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.


County Health Rankings, 2019




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).



## 1 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 73,905 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources

### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**



## 21 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 67 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 330,109 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 18 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 14% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 2 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 88,686 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 28 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 82 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 13% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 12 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 404,014 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 20 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 354 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 11 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 1.74 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 15 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 8 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 73,905 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses,**

**2019, TDH** per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 13 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 19 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 93,613 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 31 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 22 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 11 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 108,394 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 27 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 46 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 226,642 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 10 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 49,270 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 16 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 31 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 5 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 152,737 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 11 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 35 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 172,445 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 23 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 51 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 2 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 251,277 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 8 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 39,416 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 27 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 38 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 187,226 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 32 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 17 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 13% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 1 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 83,759 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 14 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 54 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 266,058 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 19 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 93,613 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 42 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 407 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 11 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 2 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 15 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 1 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 73,905 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 18 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 16 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 78,832 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 19 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 30 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 147,810 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 13 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 64,051 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 16 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 24 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 118,248 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 30 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 45 overdoses

inpatient, non-fatal, all drug overdose stays.


TDH Data Dashboard, 2019



## 12% adults


are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).



## 2 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 221,715 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources

### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**



## 18 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 28 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 14% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 2 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 137,956 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 13 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 77 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 15 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 379,379 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 21 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 50 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 246,350 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 30 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 45 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 221,715 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 19 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 92 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 11 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 453,284 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 25 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 69 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 339,963 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 26 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 15 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 8 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 73,905 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 50 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 19 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 93,613 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses,**

**2019, TDH** per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 31 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 52 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 256,204 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 17 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 235 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 5 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 1.15 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 6 overdoses

inpatient, non-fatal, all drug overdose stays.


TDH Data Dashboard, 2019




## 9% adults

are uninsured, compared to 6% of top-performing US counties.


County Health Rankings, 2019




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).



## 1 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 29,562 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources

### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**



## 29 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 32 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 157,664 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses,**

**2019, TDH** per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 25 overdoses

inpatient, non-fatal, all drug overdose stays.


TDH Data Dashboard, 2019




## 11% adults

are uninsured, compared to 6% of top-performing US counties.


County Health Rankings, 2019




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).



## 9 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 123,175 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources

### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**



## 26 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 21 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 103,467 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 16 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 10 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 78,832 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 2 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 9,854 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 26 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 11 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 54,197 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 18 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 91 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 10 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 448,357 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 18 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 28 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 137,956 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 43 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 65 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 320,255 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 20 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 65 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 4 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 320,255 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 19 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 292 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 5 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 1.44 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 20 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 22 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 9 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 108,394 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 27 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 133,029 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses,**

**2019, TDH** per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 29 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 59 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 290,693 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019



## 15% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 21 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 828 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 4.08 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 38 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 20 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 9 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 98,540 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 16 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 2 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 78,832 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 25 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 214 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 14 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 1.05 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 19 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 230 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 9% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 1.13 million in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 27 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 53 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 5 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 261,131 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 19 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 93,613 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 37 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 31 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 152,737 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 45 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 22 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 13% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 1 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 108,394 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 5 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 1 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 24,635 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 17 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 57 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 14% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 280,839 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 26 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 129 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 14 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 635,583 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.


- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).

**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**

per 100 persons




Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**

per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## <10 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 7 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 6 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 29,562 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019



## 12% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 15 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 22 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 10% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 9 prescriptions

for opioids per 10 persons, putting in the high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 108,394 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 26 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 31 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 11% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 3 prescriptions

for opioids per 10 persons, putting in the low category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 152,737 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 12 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 121 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 6% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 596,167 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).


### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).





## 26 deaths

by drug overdose, compared to an average of 10 in top-performing US counties.

County Health Rankings, 2019



## 184 overdoses

inpatient, non-fatal, all drug overdose stays.

TDH Data Dashboard, 2019



## 8% adults

are uninsured, compared to 6% of top-performing US counties.

County Health Rankings, 2019



## 6 prescriptions

for opioids per 10 persons, putting in the middle-high category for Tennessee.

CDC US County Opioid Dispensing Rates, 2019



## 906,568 in cost

estimated for inpatient, non-fatal, all overdose hospital stays.

TDH, Drug Overdose Hospital Discharges, 2019

## Signs of an Overdose:

- unresponsive or loss of consciousness
- slow, shallow, or lack of breathing
- slow, irregular, or lack of pulse
- skin color changes, such as bluish tint around the mouth or fingertips
- cool body temperature

## Resources


### Naloxone Training

- Become trained in Naloxone administration, take a self-assessment and receive certification [here](#).
- Access training on addiction, Opioid Use Disorder, and Naloxone through a **Regional Overdose Prevention Specialist** in your area [here](#).

### Need help? Substance use treatment options are available.

- Contact Tennessee REDLINE [here](#) to connect to treatment options.
- Speak to someone with lived experience who can help connect you to treatment and recovery [here](#).
- **Safe disposal** of unwanted medication is available [here](#).
- **Syringe services program (SSP)** site locations are available [here](#).
- Access your **local anti-drug coalition** [here](#).


**For information how communities are working to address the substance misuse epidemic, see TN Together [here](#).**




**Opioid Prescription Rate, 2019, CDC**  
per 100 persons



Download data



**Inpatient Non-Fatal, All Drug Overdoses, 2019, TDH**  
per 1,000 persons



Download data

## Addictionary

Language that creates a stigma around individuals struggling with substance use makes it more difficult for them to access treatment and to have a successful recovery. Learn more [here](#).

